







SPECIFICATIONS

Model		K9 2400
Motor		
Model		3C100LWU-D2
Туре		3 Cylinder In-line Vertical, Water Cooled 4 Cycle Diesel Engine
Engine Gross (Max)	HP	24
Rated Revolution (per minute)	RPM	3000
Fuel Tank	L	37
Oil Tank	L	15
Drive Train		
Type Belt		CVT
Max Speed	km/h	40
Brake		Front/rear Hyd. Dry Caliper Disc
Steering Type		Hydraulic Power Steering
Suspension		Independent with Coil Over Shock(Dual A-Arm)
Shock Load Adjustment (F/R)		Cam Adjustment (4 Gear)
Tires & Wheels		
Work Site	F	25 x 10 - 12
	R	25 x 10 - 12
Turf	F	25 x 10 - 12
	R	25 x 10 - 12
ATV (Mud)	F	25 x 10 - 12
	R	25 x 10 - 12
Dimensions		
Length	mm	3,045
Width	mm	1,590
Height	mm	1,970
Wheelbase	mm	2,180
Ground Clearance	mm	304
Curb Weight	kg	930
Cargo Bed		
Length x Width x Depth	kg	1,110 x 1,480 x 293
Payload capacity		725
Deck Capacity	kg	500
Noise & Vibration		
Noise Level	dB[A]	83.5
Vibration (Steering Wheel / Pedal / S	Seat) m/s2	0.9
Etc		
Seat Feature		1 Suspension Bucket Seat (Driver) / 2 Bench Seat (Passenger)
Hood Color		Red / Green
Speedmeter		Digital Cluster
Steering Wheel		Tilting
USB and Power Socket		Standard

^{*} NOTE: Specifications and design are subject to change without notice.

OPTIONAL EQUIPMENT

Wheel

- Aluminum Wheel (Factory Opt.)
- Only available with Worksite / ATV(Mud) tyre

Half Door

Half Door (1 Set: 2 Doors)

Lamp

- Front Working Lamp
- Fog Lamp
- Beacon Kit

Canopy / Windshield

- Full cabin with Heater
- · Windshield (with Wiper)
- Sun Canopy
- · Clear Plastic rear screen panel.

Hitch

Winch Bracket

Hydraulics

- · Hydraulic Dumping Kit
- Remote Hydraulic Kit
- · Hand Throttle Kit

Safety

- Skid Plate
- Backup Alarm System
- Rear Screen

ETC

- Floor Mat
- Headrest
- Hood Storage
- Seatback Cover
- · Galvanised rear Livestock Canopy

COLOUR

• Choice of Red or Green bonnet and Load space fill panels



KIOTI UK Ltd Suite 10 Bellingham House 2 Huntingdon Street St Neots Cambs PE19 1BG Phone +44 (0) 1480 401512

Dealer Imprint Area







Engine Power 24HP

The new eco-friendly diesel engine provides powerful performance and improves fuel efficiency while reducing noise levels.



Max Speed 40km/h [EEC Homologation]

The more powerful engine and efficient transmission offer the maximum traveling speed up to 40km/h (EEC regulated speed limit). The K9 series will give a delightful working and driving experience.



Brake Performance Increased

Excellent braking performance is achieved thanks to long lasting front and rear hydraulic disc brakes with a mechanical parking brake. Safety has been enhanced by 30% compared




CVT Improvement

The K9 series starts smoothly and responds quickly with two speed ranges (Hi/Lo) and 4WD function.



NEW EXPERIENCE K9 2400 DYNAMIC & RIGID WORKHORSE



Seat Space

The contoured bench seats which are the widest in their class, in combination with a separate bucket seat for the driver give enough room for three people. It fulfills the safety condition of ANSI, SAE and EEC with reinforced ROPS.



Digital Dashboard

The digital dashboard centrally located to the driver provides improved visibility at any time of the day or night. The operator can check the functions such as a tachometer, hour meter, RPM and Gear range.



Easy Adjustment of Steering Wheel

The adjustment of the steering wheel is simplified with a push lever allowing easy adjustment to suit the operator's needs.



Ergonomic Design

The combination of driver-centric controllers and ergonomic interior design gives a more comfortable, agile and in-command driver experience.



Ergonomic Lever and Switch

Conveniently located car-type operating controls make it easy for anyone to operate and increase the joy of driving.



Power & USB Sockets

Standard USB port and 12 volt electric socket give good choices to power extra electrical devices.



Double Wishbone

Suspension equipped with front and rear wishbone double A arms absorbs the shocks on the road and makes driving more the K9 leaning to one side and wearing tyres.

New Design Hood K9 2400 has a dynamic look with rigid body to make your job and ride more enjoyable.

Shock Absorber

comfortable. It also prevents





Noise and Vibration Reduction

The noise and vibration of new K9 have been reduced by using CAE simulation.



NEW GENERATION KIOTI VALUE UTILITY VEHICLE







Cargo Bed & Hydraulic Dumping Kit (Optional)

Wide cargo bed and 500kg load capacity provide excellent payload capacity. The rear load space has a spray coated Urethane coating for maximum corrosion resistance. With an optional hydraulic dumping kit it is built for hard work in all conditions. A galvanised rear Livestock / storage canopy is also available for

Tailgate

Single piece tailgate folds out to 90 degrees and helps for easy loading and unloading.



Windshield Kit with Wiper (Optional)

Upper positioned wiper fully complies with new homologation and gives good visibility. Openable front windshield makes for a refreshing driving condition with excellent ventilation.



Bonnet Storage Kit, Floor Mat (Optional) Front Working Lamp (Optional)

Bonnet storage kit increases the storage room and gives enhanced convenience. Rubber floor mat gives conditions day or night. a more comfortable driving and working experience and also protects from the dust and dirt.

06 / 07



LED lamps improve the visibility in any weather



Side Mirror (EEC Homologated)

Side mirrors are folding inward and outward to prevent potential damage in the narrower spaces and reduce the shock after collision with objects during driving.

